

VISITOR PREMIUM

Anti slip overshoe with safety cap



REF « VIP »

- Composition: Rubber and protective toe cap made of aluminium/titanium.
- Professional use: Slip resistance and toes protection. Secure moves in the work place.
- ✓ Outstanding grip coefficient
- ✓ Toe cap made of aluminium/titanium. Ultra light!
- ✓ Multidirectional straps : secure hold of the foot
- ✓ Only 4 sizes to cover from 34 to 47
- ✓ Color code to track sizes
- ✓ Can be adapted to most kind of footwear
- ✓ Reusable
- ✓ Tiger-grip® anti slip sole with self cleaning studs

Certifications

EUROPEAN DIRECTIVE
89/686/CE
Personal Protective Equipment

CE EUROPEAN STANDARDS

CE Certification:
0075/1344/161/01/18/0113

- NF EN ISO 20345 / 2011
- NF EN 12568
- NF EN 13287
- Oil resistance (FO)



CE PPE CERTIFIED Risk II

Certified Organism:

CTC N° 0075/69367 Lyon - France



AMERICAN STANDARDS

Certification process ongoing

• NF EN 13287 – Anti slip properties

Certification SRC : SRA + SRB

SRB : Anti-slip coefficient on steel floors with glycerin

SRA : Anti-slip coefficient on ceramic floors with detergent

Surface	Contact with	Standard ISO 13287	VISITOR PREMIUM results
Steel	Oil	SRB = 0.18	+ 110 % = 0.38
Ceramic	Detergent	SRA = 0.32	+40% = 0.46

• NF EN 12568 – Toe Cap resistance:

200 joules resistance and resistant to crushing under max. Load of 1500 DaN

Physico-mechanical tests

Test	Standard	VISITOR PREMIUM results	Unit
Shock resistance	EN ISO 20344	20.5	mm
Crushing resistance	EN ISO 20344	26	mm
FO Resistance	EN ISO 20344	-0.1	%

Sizes



	S				M				L				XL		
UE Sizes	34	35	36	37	38	39	40	41	42	43	44	45	46	47	
UK Sizes	1,5	2,5	3,5	4,5	5,5	6	6,7	7,5	8	9	9,5	10,25	11	11,8	
US Woman	4	5	6	7	7,5	8	8,5	9,5	10	11					
US Man					5,5	6,25	7	7,75	8,5	9,5	10	10,75	11,5	12,3	

For a proper use of the overshoes, it is important to ensure that the overshoes fit neatly over the user's footwear

Storage and maintenance

- Hand washable - Let them dry naturally
- Store in a dry place, away from temperature variation
- Do not use below a temperature of -20°C.

Design and manufacturing : TIGER-GRIP ENGINEERING



contact@tigergrip.com



120, rue Fornier
31700 BEAUZELLE, France



+ 33 5 34 60 56 56

www.tigergrip.com