




Winners at Work

Outstanding design.

















Sporty design meets sophisticated functionality: The uvex 1 sport range is both youthful and stylish combined with first-class wearer comfort, thanks to its lightweight design, climate optimised high-tech materials and ergonomically shaped outsole.

uvex 1 sport – the ideal companion for daily working life and more.





High breathability.

The breathable mesh upper ensures optimised climate control. The sporty look of the uvex 1 sport range is contributing to the increased acceptance of wearing safety footwear.



Lightweight and ergonomic design.

uvex 1 sport sole

- ergonomically designed outsole comprising dual-density polyurethane for light applications
- extremely comfortable underfoot
- suitable for general use on almost all surfaces
- excellent anti-slip properties (SRC)
- abrasion-resistant
- meets the ESD specification with leakage resistance < 35 megaohms
- free of paint wetting impairment substances





uvex



uvex 1 sport · Shoe S1 SRC/S1 P SRC/S3 SRC uvex 1 sport NC · Shoe O1 FO SRC

General features:

- modern, ultra-lightweight and flexible S1, S1 P and S3 safety shoes, and O1 occupational shoes
- suitable for people allergic to chrome as it's made from synthetic materials
- all sole materials are free of silicones, plasticisers and other paint wetting impairment substances

Protection features:

- Certified for orthopaedic inserts and shoe adjustments in accordance with German Institute for Occupational Health and Safety (DGUV) regulation 112-191 and ÖNORM Z1259.
- meets the ESD specification with leakage resistance less than 35 megaohms
- 100% metal-free uvex xenova® toe cap compact design, anatomical shape, good lateral stability, no thermal conductivity (safety shoes only)
- ergonomically designed outsole comprising dualdensity polyurethane with excellent slip resistance
- penetration-resistant, non-metallic midsole in accordance with the latest safety standards, does not restrict flexibility of the shoe (S1 P and S3 shoes only)

Comfort features:

- outstanding wearer comfort results from a newly developed last and climate-optimised, breathable materials
- virtually seam-free construction made from high-tech materials to eliminate pressure points
- removable anti-static comfortable insole, with a moisture transport system and additional shock absorption around the heel and forefoot
- soft padding on collar and tongue
- sizes 35 to 40 have been produced using a women's last

Areas of application:

light applications



											•						
uvex 1 sport	Safety s	shoe S1	SRC														
Colour	pink/white			blue/white			black/w	/hite				black/white					
Art. no.	65977	65978	65979	65970	65997	65998	65999	65990	65987	65988	65989	65980	65947	65948	65949	6594	
Width	10	11	12	14	10	11	12	14	10	11	12	14	10	11	12	14	
Standard	EN ISO 20345:2011 S1 SRC																
Upper	textile																
Lining	distance mesh lining																
Size	35 to 43				35 to 52				35 to 52				35 to 52				
uvex 1 sport	Safety	shoe S1	P SRC														
Colour	pink/white				blue/white					black/black				black/white			
Art. no.	65971	65972	65973	65974	65991	65992	65993	65994	65901	65902	65903	65904	65941	65942	65943	65944	
Width	10	11	12	14	10	11	12	14	10	11	12	14	10	11	12	14	
Standard	EN ISO	20345:2	2011 S1 I	SRC													
Upper	textile																
Lining	distance mesh lining																
Size	35 to 43				35 to 52				35 to 52			35 to 52					
uvex 1 sport	Safety shoe S3 SRC																
Colour	black/white						black/black										
Art. no.	65961		65962			65964			65921		65922		65923		65924		
Width	10		11	12		14			10		11		12		14		
Standard	EN ISO 20345:2011 S3 SRC																
Upper	microvelour																
Lining		e mesh li	ning														
Size	35 to 52								35 to 52								
uvex 1 sport NC	Occupational shoe O1 FO SRC																
Colour	black/grey							black/white									
Art. no.	65937 65938		65939			65957		65958		65959							
Width	10 11		12			10 11		11	11								
Standard	EN ISO 20347:2012 O1 FO SRC																
Upper	textile																
Lining	distance mesh lining																
Size	35 to 5	2							35 to 5	2							



1.001.437/9.19/2/15 · Printed in Germany. Rights of technical changes reserved. © 2019 - UVEX ARBEITSSCHUTZ GmbH

uvex













Winners at Work. Designed for Individuals.

UVEX ARBEITSSCHUTZ GMBH Würzburger Straße 181-189 90766 Fürth **GERMANY**

Phone: +49 911 9736-0 +49 911 9736-1760 safetv@uvex.de Internet: uvex-safety.com













