

INDUSTRY

COMFORT & SAFETY
SOLUTIONS

ICD INTERNETOWE
CENTRUM
DYSTRYBUCJI

Pat Lohan
Civil Engineering, United Kingdom

Best wellington boots worn so far. Very impressed.

ENGINEERED FOR LONG-LASTING COMFORT

BEST

PUROFORT®



**DUNLOP® PUROFORT®
RANGE**

BETTER

ACIFORT®



**DUNLOP® ACIFORT®
RANGE**

GOOD

PVC



**DUNLOP® PVC
RANGE**

COMFORT

Meeting end-user needs



DESIGN

Meet requirements with regard to design



PROTECTION


Meeting the standards




DUNLOP®

PUROFORT®

THE ORIGINAL



Lightweight
and Thermal
Insulation



Strong and
Flexible

The Original


Purofort® guarantees you long-lasting comfort

Purofort® is the unique Dunlop® material with millions of evenly distributed air pockets making it lightweight and thermally insulating plus a cross-linked structure that provides flexibility and strength. Purofort® guarantees you long-lasting comfort.

PUROFORT® BENEFITS


LIGHTWEIGHT

Purofort® boots are up to 35% lighter than PVC, rubber or competitive PU boots. No more tired feet!




EXCELLENT COLD INSULATION

Purofort® prevents heat loss and provides thermal insulation down to -20°C and even to -50°C. No more cold feet!




FLEXIBLE

Purofort® is extremely flexible, giving you maximum comfort.



MAX STRETCH

Purofort® provides maximum stretch, assuring your boots a longer life-time.



DISCOVER MORE

dunlopboots.com/purofort

DUNLOP®
PUROFORT®+

**The comfortable and
durable boot for harsh
working conditions**

- ✓ Lightweight and flexible boot with premium insole for all day wearing comfort
- ✓ Long lasting wear and tear performing Purofort® material technology
- ✓ Outsole designed for stability and grip in all terrains
- ✓ Protective toecap & midsole



DISCOVER MORE
dunlopboots.com

BEST

PUROFORT®



Extreme protection in severely cold working conditions

ARTICLE	C662343
DESCRIPTION	Dunlop® Purofort® Thermo+ full safety
STANDARD	EN ISO 20345:2011 S5 CI SRC
SIZE RANGE	37/38, 39/40, 41-43, 44/45, 46-48
PROPERTIES	• Keep's feet dry and warm even in -50°C environments • Sturdy PUROFORT® coverage for all around foot protection • High cleated outsole for grip and traction in mud and snow • Protective toecap & midsole

S5



PUROFORT



Designed for all terrain performance and extreme grip

ARTICLE	CC22A33
DESCRIPTION	Dunlop® Purofort®+ Expander full safety
STANDARD	EN ISO 20345:2011 S5 CI HRO CR SRC
SIZE RANGE	39-48, 49/50
PROPERTIES	• Lightweight and flexible boot with premium insole for all day wearing comfort • Long lasting wear and tear performing Purofort® material technology • Vibram XS Work outsole with superior slip resistance on oil • Protective toecap & midsole

S5



PUROFORT®



The comfortable and durable boot for harsh working conditions

ARTICLE	C762041
DESCRIPTION	Dunlop® Purofort®+ full safety
STANDARD	EN ISO 20345:2011 S5 CI SRC
SIZE RANGE	36-48, 49/50
PROPERTIES	• Lightweight and flexible boot with premium insole for all day wearing comfort • Long lasting wear and tear performing Purofort® material technology • Outsole designed for stability and grip in all terrains • Protective toecap & midsole

S5



PUROFORT®



The comfortable and durable boot for harsh working conditions

ARTICLE	C762241
DESCRIPTION	Dunlop® Purofort®+ full safety
STANDARD	EN ISO 20345:2011 S5 CI SRC
SIZE RANGE	36-48, 49/50
PROPERTIES	• Lightweight and flexible boot with premium insole for all day wearing comfort • Long lasting wear and tear performing Purofort® material technology • Outsole designed for stability and grip in all terrains • Protective toecap & midsole

S5



PUROFORT®



The comfortable and durable all-purpose worker boot

ARTICLE	C462041
DESCRIPTION	Dunlop® Purofort® Professional full safety
STANDARD	EN ISO 20345:2011 S5 CI SRC
SIZE RANGE	37-48
PROPERTIES	• Thermal insulation in warm and cold environments • Strong wear and tear resistant Purofort® material technology • Self cleaning abrasion resistant outsole • Protective toecap & midsole

S5



PUROFORT®



The comfortable and durable all-purpose worker boot

ARTICLE	C462241
DESCRIPTION	Dunlop® Purofort® Professional full safety
STANDARD	EN ISO 20345:2011 S5 CI SRC
SIZE RANGE	37-48
PROPERTIES	• Keep's feet dry and warm in cold environments • Strong wear and tear resistant Purofort® material technology • Self cleaning abrasion resistant outsole • Protective toecap & midsole

S5



DUNLOP®

PUROFORT®+ RELIANCE



Challenging the definition of a rigger boot

- ✓ Sturdy design with easy pull on and instant fit
- ✓ Superior material for longlasting flexibility and guaranteed waterproofness
- ✓ Vibram XS Work industrial outsole developed to outperform
- ✓ Protective toecap & midsole

VIBRAM® XS WORK OUTSOLE

The Expander and the Reliance boot have a Vibram® XS Work outsole, that:

- ✓ Has a special toe area to prevent stumbling
- ✓ Has large channels for fluid dispersion and self-cleaning
- ✓ Offers torsion control ladder grip
- ✓ Is non-marking to prevent stains on flooring



DISCOVER MORE

dunlopboots.com

BEST

RIGGER RANGE

PUROFORT™



Challenging the definition of a rigger boot

ARTICLE	CC22A33.CH
DESCRIPTION	Dunlop® Purofort®+ Reliance full safety
STANDARD	EN ISO 20345:2011 S5 CI HRO CR SRC
SIZE RANGE	39-48, 49/50
PROPERTIES	• Sturdy design with easy pull on and instant fit • Superior material for longlasting flexibility and guaranteed waterproofness • Vibram XS Work industrial outsole developed to outperform • Protective toecap & midsole

PUROFORT™



Fully waterproof rigger boot designed for all day comfort

ARTICLE	C762043.CH
DESCRIPTION	Dunlop® Purofort®+ Rugged full safety
STANDARD	EN ISO 20345:2011 S5 CI SRC
SIZE RANGE	39-48, 49/50
PROPERTIES	• Anatomically shaped footbed with premium insole for all day foot support • Superior material flexibility for easy pull-on & instant fit • Outsole designed for all terrain stability and grip • Protective toecap & midsole

PUROFORT™



Fully waterproof comfortable rigger boot

ARTICLE	C462743
DESCRIPTION	Dunlop® Purofort® Rig Air full safety
STANDARD	EN ISO 20345:2011 S5 CI SRC
SIZE RANGE	37-48
PROPERTIES	• Lightweight for all day wearing comfort • Superior material flexibility for easy pull-on & instant fit • Self cleaning abrasion resistant outsole • Protective toecap & midsole

PUROFORT™



Fully waterproof comfortable rigger boot

ARTICLE	C462743.FL
DESCRIPTION	Dunlop® Purofort® Rig Air full safety Fur Lined
STANDARD	EN ISO 20345:2011 S5 CI SRC
SIZE RANGE	37-48
PROPERTIES	• Lightweight for all day wearing comfort • Superior material flexibility for easy pull-on & instant fit • Self cleaning abrasion resistant outsole • Protective toecap & midsole

DUNLOP®

ACIFORT® HIGH VOLTAGE SAFETY



The trusted solution for high impact electrical and mechanical environments

- ✓ Durable shaft for high wear and tear resistance
- ✓ Oil resistant, SRA rated outsole for perfect grip
- ✓ Special compound to protect against high voltages
- ✓ Protective toecap

ACIFORT® = Acide + Comfort

Acifort is Dunlop's unique invention of PVC, nitrile rubber and polymers. Nitrile rubber ensures a longer lifetime and better resistance to oil, fat, blood and chemicals. Polymers add flexibility to your boot, thereby increasing comfort.

- ✓ **Antistatic** components
- ✓ **Nitrile rubber** for more comfort
- ✓ **Polymers** guarantee maximum lifetime for PVC boots



DISCOVER MORE
dunlopboots.com



ARTICLE	A571411
DESCRIPTION	Dunlop® Acifort® High Voltage safety
STANDARD	EN ISO 20345:2011 SB FO SRA / EN 50321 cl. 0
SIZE RANGE	39/40, 41-43, 44/45, 46-47
PROPERTIES	• Durable shaft for high wear and tear resistance • Oil resistant, SRA rated outsole for perfect grip • Special compound to protect against high voltages • Protective toecap



ARTICLE	A252931
DESCRIPTION	Dunlop® Acifort® Ribbed full safety
STANDARD	EN ISO 20345:2011 SB P A FO SRA
SIZE RANGE	40-47
PROPERTIES	• Unique rib design for additional protection • Oil resistant, SRA rated outsole for perfect grip • Ankle support and reinforced heel for best safety • Protective toecap & midsole

A pair of black rubber boots with red accents on the sole and side. The boots are shown from a side profile, with one boot slightly behind the other. The sole has a red stripe and a tread pattern. The side of the boot has a red stripe and some text.



ARTICLE	A442031
DESCRIPTION	Dunlop® Acifort® Heavy Duty full safety
STANDARD	EN ISO 20345:2011 S5 SRA
SIZE RANGE	39-48, 49/50
PROPERTIES	• Durable shaft for high wear and tear resistance • Oil resistant, SRA rated outsole for perfect grip • Extra ankle support for optimal protection • Protective toe cap & midsole

FREE WEAR TRIAL?

DUNLOP® HELPS YOU TO SELECT THE BEST SAFETY BOOT

More than 20% of fatal accidents at work in the EU take place within the construction sector. Looking at non-fatal accidents, Slips, Trips and Falls are the second most common cause of serious injury (19%).

Since industrial work includes a variety of activities, we offer specific wear trial programs to help you keep your workforce as safe and comfortable as possible.

Visit our website for more information.

WWW.DUNLOPBOOTS.COM



WWW.DUNLOPBOOTS.COM

PVC

DUNLOP® PROTOMASTER



GOOD



ARTICLE	142PP
DESCRIPTION	Dunlop® Protomaster full safety
STANDARD	EN ISO 20345:2011 S5 SRA
SIZE RANGE	36-48
PROPERTIES	• Waterproof to give protection in wet conditions • Oil resistant, SRA rated outsole for perfect grip • Slip resistant to assure safe working conditions • Protective toecap & midsole



ARTICLE	142YP
DESCRIPTION	Dunlop® Protomaster full safety
STANDARD	EN ISO 20345:2011 S5 SRA
SIZE RANGE	36-48
PROPERTIES	• Waterproof to give protection in wet conditions • Oil resistant, SRA rated outsole for perfect grip • Slip resistant to assure safe working conditions • Protective toecap & midsole



Functional and multi-purpose work boot

- ✓ Waterproof to give protection in wet conditions
- ✓ Oil resistant, SRA rated outsole for perfect grip
- ✓ Slip resistant to assure safe working conditions
- ✓ Protective toecap & midsole



ARTICLE	380PP
DESCRIPTION	Dunlop® Pricemaster ®
STANDARD	CE
SIZE RANGE	35-48
PROPERTIES	• Waterproof to give protection in wet conditions



DISCOVER MORE

dunlopboots.com



ADDITIONAL COMFORT



ARTICLE	Z915008 [LOW], Z925008 [MID], Z935008 [HIGH]	Z920005	Z910005
DESCRIPTION	Dunlop® Insoles Premium	Dunlop® Insoles Comfort	Dunlop® Insoles Basic
SIZE RANGE	EU 36/38, 39/41, 42/44, 45/47, 48/50 UK 3/5, 6/7, 8/10, 11/12, 13/15	36 – 48, 49/50	37 – 48
FEATURES	• Hard support shell for optimal arch support • Tear shaped heel pad for better shock absorption • Soft foam for all day footbed cushioning		
	• Arch, heel and metatarsal support to reduce fatigue • Energy absorption at the heel to reduce fatigue		
	• Absorbs three times its own weight of moisture • Energy absorption at the heel to reduce fatigue		



OUR DUNLOP MISSION

You're the world's makers and doers.
The power behind the economy.
The rebuilders, the growers,
the movers and the diggers.

We depend on you.
For food and shelter.
Roads and bridges.
Warmth and energy.
Safety and security.
Our world depends on you.
Day in and day out,
you work with care and dedication.
And that's why, day in and day out, we work for you.
By innovating to make the best product.
For you.

That's why we reinvented rubber
and made a boot out of Purofort®.
To give you the safety and comfort
that you deserve.

We salute you.

DUNLOP® PROTECTIVE FOOTWEAR

YOUR TRUSTED GLOBAL PARTNER



 Dunlop® production locations

Icon Explanation



REACH compliant

All Dunlop® boots are produced according to the latest REACH regulation and do not contain any restricted substances.

CONTACT

Dunlop® Protective Footwear
Boeierstraat 12
NL-8102 HS Raalte
The Netherlands

T +31 (0)572 341 550
F +31 (0)572 362 206
E info@dunlopboots.com



CONTACT US
dunlopboots.com

Dunlop® Protective Footwear works closely with:



Tested & Certified by:

